



**Skytop Brewster TR-800
900 hp Trailer Mounted Drilling Rig
Completely Reconditioned**

COMPLETE WITH 115' - 410,000 # OEM CERTIFIED NOV TELESCOPING MAST.
DRAWWORKS: RECONDITIONED MODEL H14610-38 DWKS S/N 178.
CLUTCH - TWIN DISC MODEL PO-230 AND PO-234, BRAKES - 46 X 10,
NEW DRUM WITH 1 1/8" LEBUS GROOVING SAND LINE DRUM:
TWIN RECONDITIONED TWIN DISC MODEL PO-224,
BRAKES - 38 X 8 HYDROMATIC BRAKE
NEW WWL V-80 HYDROMATIC WATER ASSIST BRAKE
COMPOUND: REBUILT SKYTOP BREWSTER
ENGINES - FACTORY DETROIT DIESEL MODEL 60 SERIES RATED AT 475 BHP EACH
@2100 RPM
TRANSMISSION: FACTORY ALLISON MODEL CLT-5860-4 (5 SPEED)
MAST - RECERTIFIED BY NOV - 115' CLEAR WORKING HEIGHT - 410,000 #
TELESCOPING MAST, NUMBER OF LINES TO BLOCK 8,
API OPERATING HOOK LOAD 388,000 LBS
DRILL LINE SIZE 1 1/8"
RACKING BOARD HEIGHT 55 FT OR 58 FT OR 70 FT.
RACKING BOARD CAPACITY 10,080 FT - 4 1/2" DRILL PIPE
(DOUBLES) (CATERGORY 4 REPAIR BY NOV THE ORIGINAL EQUIPMENT
MANUFACTURE CERTIFICATE AND REPAIR AND INSPECTION REPORT
FURNISHED)
NEW CROWN BLOCK - CERTIFIED BY NOV
CROWN BLOCK IS SET UP FOR AN 8 LINE STRING UP.
CROWN SHEAVES ARE GROOVED 1 1/8" DRILL LINE, ALL
SHEAVES ARE MOUNTED ON TAPERED ROLLER BEARINGS
W/GREASE ZERTS FOR EASE OF MAINTENANCE.
CROWN INCLUDES (1) 42" FAST LINE SHEAVE AND (3) 30" CROSS-OVER SHEAVES,
ONE DEAD MAN
RECONDITIONED DEAD LINE ANCHOR
FOLLOWING ITEMS ARE NEW

SUSPENSION 100,000# TOTAL AXLE AND SUSPENSION ALONG WITH TAG AXLE.
TIRES AND RIMS 10:00 X 20, MAIN HYDRAULIC RESERVOIR, HYD CYLINDER
CONTROLS,
DRILLERS CONSOLE W/HOSE BUNDLE, AIR, HYD HOSES AND STEEL LINES,
TELESCOPING CYLINDERS,
RISING CYLINDERS, MAST LOCKING CYLINDER, HYD JACK CYLINDERS (4),
MANUAL JACKS (2), ALL NEW JACK STANDS.
SUBSTRUCTURE - RECONDITIONED 20 FT LOADMASTER
SUB STRUCTURE FITTED TO RIG WITH 15 TO 17 FT. CLEARANCE UNDER ROTARY
BEAMS
ROTARY TABLE - 27 1/2" IDECO OR HACKER

PRICE USD 1.1 million







